Series: Manorwood Classic Model: 2M3003-N Herreshoff





## **About This Model**

Style: Ranch / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1352


<b>CLIC</b>	TOR	/IED	CON	ITACT
000	I UI	VIEN.	GUI	ITACT

Notes:			

Series: Manorwood Classic Model: 2M3003-N Herreshoff



## **Floorplan**



CUSTOMER CONTACT	Notes:

Series: Manorwood Classic Model: 2M3003-N Herreshoff



### Standards & Features

#### FLOOR CONSTRUCTION

2X10 Floor Joists 16" O.C.

¾" T&G OSB Floor Decking

Insulated Basement Stairwell

#### **EXTERIOR WALLS**

2X6 Studs 16" O.C.

Double 2X6 Top Plates

8' Wall Height

Structural OSB Sheathing

Whole House Wind Wrap

Vinyl Siding

#### **INTERIOR WALLS**

2X4 Interior Wall Studs 24" O.C.

2X4 Marriage Wall Studs 16" O.C. with

OSB Sheathing

Primed ½" Smooth Drywall Throughout

#### **ROOF AND CEILING**

8' Flat Ceiling

5/12 Roof Pitch with 12" Eaves

7/12 Roof Pitch with 12" Eave (4M Models)

Pre-Engineered 40# Roof Trusses 24" O.C.

90 MPH Wind Exposure C Wind Load Design

Ice Shield

Structural OSB Roof Decking

Shingle Over Ridge Vent Ventilation

Vented Vinyl Soffit

Aluminum Fascia

Aluminum Drip Edge on all Roof Edges

Smooth Drywall Ceiling

Architectural Shingles

(Limited Lifetime Warranty)

## ROOF AND CEILING (continued) Synthetic Roof Underlayment

#### **INSULATION**

Exterior Walls R-23 Fiberglass Insulation Ceiling R-38 Fiberglass Batt Insulation

PEX Water Lines Stubbed Through Floor

Drain, Water and Vents Stubbed Through Floor

Shut Off Valves for all Sinks, Lavs and

Plumb, Wire and Vent for Washer/Dryer

Recessed Drver Vent Box

Oetiker Clamps

#### **EXTERIOR DOORS AND WINDOWS**

3/0 x 6/8 6-Panel Fiberglass Door with Nickel

Hardware & Domposite Jambs at Front

& amp; Rear Primed White

Door Pan on Exterior Doors

Low-E Vinyl Insulated Single Hung Argon Filled

White Windows – Mulled where Applicable

Front & Door Kwikset Lockset with

Smart Kev

15" Raised Panel Shutters Door Side

#### INTERIOR DOORS AND TRIM

2-Panel Painted White Interior Doors w/ Lever

Passage Sets and 3 Mortise Hinges

36" Interior Doors – Where Available

Privacy Locks on Bedroom & Doors

Door Stops

White Wood Colonial Moulding Package

Wire Shelving all Closets and Washer / Dryer

CUSTOMER CONTACT	Notes:

Series: Manorwood Classic Model: 2M3003-N Herreshoff



## **Standards & Features (continued)**

### **INTERIOR DOORS AND TRIM (continued)**

Area

**Brushed Nickel Hardware** 

#### FLOOR COVERING

Congoleum Vinyl Flooring (Kitchen, Baths, Utility and Foyer) 25 oz. Carpet with Stain Protector 5# Rebond Carpet Pad

#### **KITCHEN**

¾ Overlay Classic Craft Cabinetry

- KCMA Certified

Hardwood 5-Piece French Country Oak. Rustic Elm, or Barnwood Oak Mission Flat

Panel Doors

Craftsman Cabinet Crown Moulding 42" Height Kitchen Overhead Cabinets

**Dovetailed Drawers** 

Soft Close Undermount Drawer Guides

Laminate Countertops

8" Deep Stainless Steel Kitchen Sink Brushed

Nickel Metal Faucet with Sprayer Power

Range Hood

Cabinet Pulls (Brushed Nickel or Black) Corner

Base Lazy Susan (where applicable) USB

Receptacle II

### **BATHS**

**Brushed Nickel Metal Faucets** Anti-Scald Valves for Showers & Dry, Tubs

Laminate Countertops Square China Lavs **Elongated Toilets** 

BATHS (continued) Lighted Exhaust Fans with Insulated Ducts

2-Arm Light at Vanity

60" One Piece Fiberglass Tub/Shower

Fiberglass Soaker Tub (per plan)

48" One Piece Fiberglass Shower with Glass

Shower Enclosure (per plan)

Double Bowl Bath Vanity (per plan)

**Black Framed Mirrors** 

Linens with Drawers (where available)

#### **ELECTRICAL**

200 AMP Electrical Service with 40/40 Panel Box

2 GFI Exterior Receptacles with In-Use Covers

Gatsby Light at Front Exterior Door

Light at Rear Exterior Door Recessed LED

Lighting T/O

(Excludes Bedroom Ceiling Lights)

Smoke Detectors with Battery Back-up

Wire for Electric Range

Carbon Monoxide Detector(s)

Electric Doorbell at Front Door

#### **CAPE MODELS**

12/12 Roof Pitch with 12" Eaves

(9/12 on 4MC Models)

Close-Off Package for 2nd Floor Including

Interior Door and Partitions for On-Site Install

3/4" OSB Floor Decking for 2nd Floor –

\*Shipped Loose\*

(2)&Isquo;110' Electrical Circuits to Junction Boxes for Future Lights – Electrical Circuit to Junction Box for Future Smoke Detector(s) – Electrical

CUSTOMER CONTACT	Notes:

Series: Manorwood Classic Model: 2M3003-N Herreshoff



# **Standards & Features (continued)**

CAPE MODELS (continued)
Circuit to Junction Box for Future 3-Way Light on 2nd Floor
Rough-In Plumbing for Future Bath
Stairs with Railing, Handrail and Carpet
Shipped Loose
(2nd Floor Gable End Windows Optional)

CUSTOMER CONTACT	Notes: